



sunair
products
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

E-Bulletin

PAGE 1 of 5
E-BULLETIN: 0962

PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



220-333

Cycling Switch - Female 7/16-20 Thd. Open 24 PSI - Close 44 PSI (NO) 73-96 GM, 83-91 Volvo (Replaces MT0207)



220-377

Ford Cycling Switch - Female 7/16-20 Thd. Open 24 PSI - Close 44 PSI (NO) (Replaces MT0203)



MC-910

Binary Pressure Switch - Male 3/8-24 Thd. Open 394 PSI - Close 28-312 PSI (NO) (Replaces MT0201 / MT0374)



MC-911

Binary Pressure Switch - Female 3/8-24 Thd. Open 394 PSI - Close 30-290 PSI (NO) (Replaces MT1045)



MC-912

Low Side Pressure Switch - Male 3/8-24 Thd. On 14 PSI - Close 45 PSI (NO) - Block Valve (Replaces MT0601 / MT0227)



MC-1073

Supercedes GM White Compressor Pressure Switch - On 26 PSI - Off 25 PSI (OEM # 15-2122, 2724020 / 6551454)



MC-1119

GM Cycling Switch - Female M12-1.5 Thd. Open 24 PSI - Close 44 PSI (NO) (Replaces MT0206)



MC-1120

Ford Cycling Switch - Female M12-1.5 Thd. Open 24 PSI - Close 44 PSI (NO) (Replaces MT0202)



MC-1137

Binary Pressure Switch - Male 3/8-24 Thd. Open 341 PSI - Close LP 28 PSI - Close HP 455 PSI (NC)



MC-1212

GM High Pressure Cut-Out Switch On 200 PSI - Off 430 PSI Delco #15-2333, 15-2830 (Replaces MT0536)



MC-1235

Binary Switch - Male 3/8-24 Thd. Open 374 PSI - Close 28-250 PSI (NO) 88 - 92 Acura / Honda (Replaces MT0350)



MC-1236

Trinary Switch - Male 3/8-24 Thd. Close 30-384 PSI - Fan Open 220 PSI (NO) 88 - 92 Acura / Honda (Replaces MT0351)

NOTE: NO - Normally Open NC - Normally Closed

Sunair Products, Inc. • Phone: (817) 831-6301
Toll Free: 1-800-831-6301
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



Online
www.coolpro.com
www.sunairusa.com
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186
Fax: +31 (0) 495 542787
Sales: sales@sunaireurope.com





sunair
products
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

E-Bulletin

PAGE 2 of 5
E-BULLETIN: 0962

PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



MC-1237

Trinary Switch - Male M11-1.0 Thd. Close 29-455 PSI - Fan Open 220 PSI (NO) 96 - 98 Acura (Replaces MT0352)



MC-1238

Binary Switch - Male M11-1.0 Thd. Open 451 PSI - Close 375 - Open 28 PSI (NO) 93-99 Toyota / Lexus (Replaces MT0354)



MC-1239

Binary Switch - Male M11-1.0 Thd. Open 454 PSI - Close 375 PSI - Open 28 PSI (NO) 91 - 99 Acura / Honda (Replaces MT0359)



MC-1241

Ford / Mazda High Pressure Switch - Female M10-1.25 Thd. Open 435 PSI - Close 290 PSI (NC) (Replaces MT0611)



MC-1242

Chrysler Pressure Transducer - Female 7/16-20 Thd. 1.50V @ 100 PSI - 1.80V @ 200 PSI - 2.85V @ 300 PSI (Replaces MT0614)



MC-1245

GM Cycling Switch - Female M12-1.5 Thd. Open 23 PSI - Close 43 PSI (NO) (Replaces MT0606)



MC-1250

4 Pin Compressor Relay 92 - 04 GM (Replaces MT0959)



MC-1252

5 Pin Blower Relay 77 - 94 GM (Replaces MT0515)



MC-1253

5 Pin Blower Relay 80 - 94 Chrysler Various (Replaces MT0475)



MC-1255

Blower Switch 74 - 88 Chrysler (Replaces MT0465)



MC-1256

5 Pin Radiator Fan Relay 94 - 04 GM Various (Replaces MT0967)



MC-1257

GM High Pressure Switch On 260 PSI - Off 160 PSI 77 - 89 GM Compressors (Replaces MT0671)

NOTE: NO - Normally Open NC - Normally Closed

Sunair Products, Inc. • Phone: (817) 831-6301

Toll Free: 1-800-831-6301

Fax: (817) 222-7800 • Sales: sales@sunairusa.com



Online

www.coolpro.com

www.sunairusa.com

www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186

Fax: +31 (0) 495 542787

Sales: sales@sunaireurope.com





sunair
products
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

E-Bulletin

PAGE 3 of 5
E-BULLETIN: 0962

PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



MC-1258

Low Pressure Cut-Out Switch
On 43 PSI - Off 37 PSI
77 - 84 GM Compressors
(Replaces MT0501)



MC-1259

Cycling Switch
Female M12-1.5 Thd.
Open 23 PSI - Close 44 PSI (NO)
93 - 04 GM (Replaces MT0968)



MC-1260

Blower Switch 74 - 92 Ford
(Replaces MT0487)



MC-1261

5 Pin Universal Relay
(Replaces MT0223)



MC-1262

Cycling Switch - Female M12-1.5
Thd. Open 24 PSI - Close 44 PSI
(NO) 96 - 99 Ford (Replaces
MT0444)



MC-1263

Trinary Switch Female M10-1.25
Thd.- Open 450 PSI - Close 250
PSI - Fan Open 220 PSI (NC)
94 - 96 Ford
(Replaces MT0491)



MC-1264

High Pressure Switch - Female
7/16-20 Thd. Open 475 PSI -
Close 325 PSI (NC) 92 - 96
Chrysler (Replaces MT0473)



MC-1265

High Pressure Switch - Female
M10-1.25 Thd. Open 497 PSI -
Close 340 PSI (NC)
(Replaces MT0822)



MC-1267

Cycling Switch - Female M12-1.5
Thd. Open 25 PSI - Close 44 PSI
(NO) 94 - 98 Dodge
(Replaces MT0613)



MC-1268

GM A6 / Sunair S6 Thermal limiter
Fuse (GM #6551258, Delco #15-
50430)



MC-1269

5 Pin Blower / Compressor Relay
90 - 92 GM
(Replaces MT0508)



MC-1274

Cycling Switch - Female M12-
1.5 Thd. Open 24 PSI - Close
38 PSI (NO) 97 - 02 Dodge
(Replaces MT1007)

NOTE: NO - Normally Open NC - Normally Closed

Sunair Products, Inc. • Phone: (817) 831-6301
Toll Free: 1-800-831-6301
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



Online
www.coolpro.com
www.sunairusa.com
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186
Fax: +31 (0) 495 542787
Sales: sales@sunaireurope.com





sunair
products
www.sunairusa.com

An ISO 9001:2008 Registered Company



Certificate # 2783QM8001

E-Bulletin

PAGE 4 of 5
E-BULLETIN: 0962

PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.



MC-1276
4 Pin Radiator Relay 93 - 04 GM
(Replaces MT1027)



MC-1278
Manual Thermostat
W/ 16" Capillary Tube
(Replaces MT0626)



MC-1279
Binary Switch - Male 3/8-24 Thd.
Open 375 PSI - Close 451 PSI -
Open 28 PSI (NC) 90-93 Acura /
Honda, 98 - 99 Isuzu
(Replaces MT0397)



MC-1305
Volvo Cycling Switch - Female
M12-1.5 Thd. Open 24 PSI -
Close 44 PSI (NO) 94 - 97 Volvo
(Replaces MT0210)



MC-1306
GM Cycling Switch - Female M12-
1.5 Thd. Open 24 PSI - Close 44
PSI (NO) 90 - 96 Cars, 94 - 00
Trucks (Replaces MT0205)



MC-1313
Binary Switch
Female 7/16-20 Thd.
27 PSI - 170 PSI



MC-1315
Sunair S6 (GM A6 Replacement)
Special High Pressure Switch
On 250 PSI - Off 375 PSI



MC-1316
GM A6 / Sunair S6
Superheat Switch



MC-1318
Binary Switch - Female 7/16-20
Thd. Open 375 PSI - Close 350
PSI - Open 28 PSI (NO)
Caterpillar



MC-1319
Peterbilt High Pressure Switch
Female M10-1.25 Open 200 PSI -
Close 270 PSI (NO)
OEM #18-03836, P93CAA3606-1



MC-1320
Peterbilt High Pressure Switch
Female M10-1.25 Open 330-370
PSI - Close 180-240 PSI (NC)
OEM #18-03835,
P93CAA3605-1



MC-1321
Peterbilt Pressure Cycling Switch
Female M12-1.5 Thd. Open 23
PSI - Close 47 PSI (NO)
OEM #18-04331, 18-03834,
P93CA3604-1


NOTE: NO - Normally Open NC - Normally Closed


Sunair Products, Inc. • Phone: (817) 831-6301
Toll Free: 1-800-831-6301
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



Online
www.coolpro.com
www.sunairusa.com
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186
Fax: +31 (0) 495 542787
Sales: sales@sunaireurope.com





sunair
products
www.sunairusa.com

An ISO 9001:2008 Registered Company









Certificate # 2783QM8001

E-Bulletin

PAGE 4 of 5
E-BULLETIN: 0962

PRESSURE & ELECTRIC SWITCHES

Sunair is proud to introduce our full line of pressure and electric switches.

 <p>MC-1322 Freightliner High Pressure Switch Female 7/16-20 Thd. Open 265 PSI - Close 180 PSI (NC) OEM #A22-30930-001</p>	 <p>MC-1323 Freightliner High Pressure Switch Female M10-1.25 Thd. Open 300 PSI - Close 250 PSI (NC) OEM #A22-45194-001</p>	 <p>MC-1324 Navistar High Pressure Switch Female 7/16-20 Thd. Open 200 PSI - Close 270 PSI (NO) OEM #2035274C1</p>	 <p>MC-1325 Navistar High Pressure Switch Female M10-1.25 Thd. Open 300 PSI - Close 210 PSI (NC) OEM #3521729C1</p>
 <p>MC-1328 GM Pressure Switch 10S20F - Purple</p>	 <p>MC-1329 GM High Pressure Switch On 245 PSI - Off 470 PSI 10S20F - Red</p>	 <p>MC-1330 Chrysler High Pressure Switch On 265 PSI - Off 460 PSI 10S17C - Green</p>	<p>MORE NEW PRODUCTS COMING SOON!</p>

NOTE: NO - Normally Open NC - Normally Closed

Sunair

Your source for the newest and most
popular Mobile Air Conditioning Parts.

Call Your Sunair Sales Rep Now To Order!

Sunair Products, Inc. • Phone: (817) 831-6301
Toll Free: 1-800-831-6301
Fax: (817) 222-7800 • Sales: sales@sunairusa.com



Online
www.coolpro.com
www.sunairusa.com
www.sunaireurope.com

Sunair Europe • Phone: +31 (0) 495 531186
Fax: +31 (0) 495 542787
Sales: sales@sunaireurope.com

